



Document Solutions

> PRINT

ECOSYS P8060cdn

COLOR LASER PRINTER
FOR A3 FORMAT

HIGH SPEED, FULFIL THE HIGHEST USER DEMANDS



- Quick A4 print up to 60/55 ppm (Mono/Color) & fast warm up time 17 seconds.
- Excellent clarity 9-inch color touch panel display.
- Convenient wireless LAN interface*.
- Support Air Print and Mopria certified.
- 320GB hard disk capacity and 4GB RAM to perform heavy duty tasks without additional hard drive.
- High printing quality with real 1,200 dpi print resolution.
- Semi auto self-closing paper cassette.
- Support SRA3(320mm x 450mm) size & 300g/m² paper from standard cassette.
- Support printing up to 4 devices with optional KYOCERA business applications to enhance productivity*.

*optional



Born to be Extraordinary

KYOCERA Document Solutions is Extraordinary for

- Broad Range of Multifunction Devices and Printers
- Optimized Total Cost of Ownership (TCO)
- Reliable with Long Life Drum and Parts
- New and Advanced Technology

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates “Customer First” principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between “Economy” and “Ecology”, KYOCERA Document Solutions succeeds to develop document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.

Intuitive Features

MT-730(B) (Optional)
7 bins Mailbox Sorter

AK-7100: Paper Exit Path for Finisher (Optional)
For attachment with Finisher

JS-7100 Job Separator (Optional)
For max. 100 sheets

DF-7110 Finisher (Optional)
For max. 4,000 sheets

BF-730 Booklet Folder (Optional)
For max. 16 pages/booklet

DF-7120 Finisher (Optional)
For max. 1,000 sheets

Support NFC and HyPAS



User-friendly 9 inch Color Touch Panel
Easy-to-view: 15°-90° adjustable angles

Multi-Purpose Tray
For max. 150 sheets


PF-7120 Paper Feeder (Optional)
3,000 sheets side deck (A4/Letter)

PF-7110 Paper Feeder (Optional)
For max. 1,500 sheets (A4/Letter) x 2

PF-7100 Paper Feeder (Optional)
2 cassettes with 500 sheets each

Excellent Overall Performance

- Banner Print: Produce banner with various paper weight in-house anytime in need (One-sided only).
- Convenient Multi-Purpose Tray First Mode: Allow printing via Multi-Purpose Tray whenever paper is loaded there.
- Direct print from USB memory.
- Save cost by using less paper.
Print: Allow 25-in-1
- 2-sided print as standard.



Secure Information

- Sophisticated network security (**SSL, IPsec**) as standard and prevent improper access.
- **Private Print** enables secure print jobs with preset password request at the device.



Green Eco

- Energy Saver
Power consumption is low by using the new low temperature melting toner.
- Free of Hazardous material
Fulfill the requirements of **RoHS** (Restriction of Hazardous Substances) & usage of **Lead-Free Parts**.
- Reduce wastage with **Long Life Consumables and Drums**.

Easy Workflow Solutions

By combining the innovative Business Applications, this color printer can manage document in an effective approach.

- **KYOCERA MyPanel**
Remote control designated KYOCERA printing devices by smartphone or tablet.
- **KYOCERA Mobile Print**
Conveniently print files, web pages and images using smartphone or tablet.
- **KYOCERA Net Manager***
Control sensitive documents and reduce printing costs.
- **AirPrint**
Print documents, photographs, images, etc. directly from iOS devices/Mac.



*Optional

		Main Specifications
Model		ECOSYS P8060cdn
Type		Desktop
Writing Method		Semiconductor Laser
Print Speed (A4) (Mono/Color)		60/55 ppm
First Print Out Time (Mono/Color)		3.8/5.1 seconds
Warm Up Time		17 seconds
Resolution		1,200 x 1,200 dpi, 4,800 x 1,200 dpi level
Duplex		Auto
Control Panel		9 inch Color Touch LCD Panel
Power Consumption (Standard configuration)	Print Mode	960W
	Stand-by Mode	60W
	Sleep Mode	1W
Noise (ISO7779/ ISO9296)	Print Mode	69dB(A)
	Stand-by Mode	35dB(A)
Dimension (W x D x H) (Main Unit)		602mm x 665mm x 790mm
Weight (Main Unit)		Approx. 89 kg
		Controller
CPU		T1024 (Dual Core) 1.2 GHz
Memory		Standard 4GB (Max. 4GB)
SSD/HDD Capacity		SSD 8GB (Standard) / HDD 320GB (Standard)
Interface		USB 2.0 High Speed x1; Ethernet 10BASE-T/100BASE-TX/1000BASE-T;USB Host x4; NFC TAGx1; e-KUIO x2; 802.11 b/g/n/Wireless LAN/WiFi Direct (optional)
PDL		PCL6 (PCL5c, PCL-XL), KPDL3 (Postscript 3 compatible), PRESCRIBE, PDF Direct Print Ver. 1.7, XPS, Open XPS
Network Printing		TCP/IP, FTP, LPR, Port9100, IPP, IPP over SSL, NetBEUI, WSD Print, Apple Bonjour, IPsec, SNMPv3, IEEE802.1x, IPP over SSL/TLS, HTTP over SSL/TLS,FTP over SSL/TLS, SMTP over SSL/TLS, POP3 over SSL/TLS, Enhanced WSD over SSL/TLS
Operating System Supported		Windows Server 2003, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Vista, Windows 7, Windows 8, Windows 8.1, Windows 10; Apple Macintosh OS X 10.5 or later; Linux
USB Memory Printing		Standard
USB Memory Printing Format		TIFF, JPEG, PDF, XPS, OpenXPS
Mobile Printing		AirPrint, Mopria, KYOCERA Mobile Print
		Paper Handling
Paper Capacity	Standard	2 x 500 sheets (Cassette) + 150 sheets (MPT)
	Maximum	7,150 sheets (Main Unit + 2 x1,500 sheets PF-7110 x1 + 3,000 sheets PF-7120 x1 + MPT)
Paper Size	Cassette	Min. A6R - Max. SRA3 (320mm x 450mm); Cassette 1 Min. A6R - Max. A4R (Legal)
	Option	Min. A6R - Max. SRA3 (320mm x 450mm)
	MPT	Min. A6R - Max. SRA3 (320mm x 450mm) & Banner Print of 1,219mm
Paper Weight	Cassette	52 - 300 g/m ²
	Option	52 - 300 g/m ²
	MPT	52 - 300 g/m ²
Duplex Printing		Paper size: A6R - SRA3(320mm x 450mm); Paper weight: 60 - 256 g/m ²
Output Capacity		Max. 500 sheets + 100 sheets face-down with Job Separator
		Consumables & Options
Toner Kit (Page Yield in accordance with ISO/IEC 19798)		TK-8805K : Black (30,000 pages) TK-8805C/M/Y : Cyan/Magenta/Yellow (20,000 pages)
Capacity of Start Up Toner		Black 15,000 pages, Cyan/Magenta/Yellow 10,000 pages
Maintenance Kit		MK-8515 (A/B) (600,000 pages)
Paper Feeder		PF-7100: 500 sheets x 2; PF-7110: 1,500 sheets x 2 (A4/Letter); PF-7120: 3,000 sheets Large capacity side deck (A4/Letter)
Finisher		AK-7100: Attachment Kit; DF-7120: 1,000 sheets Finisher; DF-7110: 4,000 sheets Finisher; PH-7C: Punch Unit for DF-7110/ DF-7120; MT-730(B): 7 Bin Mailbox; JS-7100: Job Separator; BF-730: Booklet Folder; SH-10: Staple for DF-7120; SH-12: Staple for DF-7110
Card Authentication		Card Authentication Kit(B)
Data Security		Data Security Kit(E)
Gigabit Ethernet Board		IB-50: For additional Network
Wireless LAN Interface		IB-35: 802.11 b/g/n/Wireless LAN/WiFi Direct
Banner Guide		Banner Guide 10
Numeric Key Pad		NK-7100



Document Solutions

บริษัท เคียวเซรา ด็อกคิวเม้นท์ โซลูชันส์ (ประเทศไทย) จำกัด

โทร. 0-2586-0333 โทรสาร 0-2586-0278

www.kyoceradocumentsolutions.co.th

*KYOCERA does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.



KYOCERA Business Partner