

**Document Solutions** 

> PRINT > COPY > SCAN > FAX

ECOSYS M6630cidn (4-in-1) ECOSYS M6635cidn (4-in-1)

COLOR MULTIFUNCTION PRODUCT FOR A4 FORMAT





- Speedy A4 copy/print speed up to 35/35 cpm Mono/Color\* with 1,200 x 1,200dpi printing
- Fast scanning up to 62/46 ipm Mono/Color.
- Support A6 duplex scan from Document Processor.
- Fit for high print volume with paper capacity up to 1,850 sheets\*\*.
- User-friendly 7-inch large color touch screen panel.
- Standard 1GB RAM to meet heavy-duty tasks without additional memory.
- Support Google Cloud Print, Apple AirPrint and Mopria certified.
- Standard 100 sheets capacity with high productive One-path duplex scanning Document Feeder\*.

\* For ECOSYS M6635cidn only

\*\* Main unit + Multi-Purpose Tray + Optional PF-5100 x 3




# **Born to be Extraordinary**

# KYOCERA Document Solutions is Extraordinary for

- Broad Range of Multifunction Devices and Printers
- Optimized Total Cost of Ownership (TCO)
- Reliable with Long Life Drum and Parts
- New and Advanced Technology

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates a "Customer First" principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between "Economy" and "Ecology", KYOCERA Document Solutions succeeds to develop document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.

### **Robust Features**



# **Amazing Quality**

### **COPY/PRINT**

- Convenient Multi-Purpose Tray First Mode: Allow printing via Multi-Purpose Tray whenever a paper is loaded there.
- Direct print from USB memory.



• Superior image quality 1,200 x 1,200 dpi print resolution.




#### **SCAN**

- Support mixed sizes A4/Letter and Legal original in Copy/Scan.
- Skip Blank Page Function: Automatically skip blank pages in copy and scan.



- Fast scanning up to 62/46\* ipm in A4 Mono/Color.
- Store scanned data easily by 'Scan to FTP', 'Scan to SMB', 'Scan to Email' and "Scan to USB".



#### **FAX**

- A destination and other transmission settings can be registered as a favor to prevent sending to the wrong recipient.
- Capable of sending and receiving fax via PC with network fax function.
   Fax broadcast up to 100 different destinations.

· Save cost by using less paper. Print: Allow 25-in-1 Copy: Allow 4-in-1



· 2-sided copy/print as standard



Equip with special features, e.g. 'Job Finish Notice' and 'Prevent Bleed-Through' Functions, etc.



• Banner Send: Scan a banner/3 or 4 panels folding with ease (One-sided only).





\*For ECOSYS M6635cidn only

## Standard of Security

• Authentication management among departments via IC Card.



• Standard built-in Kensington Security Slot for burglar-proof of the device.

- · Sophisticated network security (SSL, IPsec) as a standard to prevent improper access
- Private Print enables secure print jobs with preset password request at the device.





# **Protecting the Earth**

- Low energy consumption
- Usage of white LED illumination for lower light emissions and power consumption.
- · Free of Hazardous material
- Fulfilled the requirements of RoHS (Restriction of Hazardous Substances) & usage of Lead-Free Parts.
- Reduce wastage by Long Life Consumables and Drums.
- · Reduce noise by Quiet Mode.

## Powerful Customization

By combining the innovative Business Applications, these devices can manage documents in an effective approach.

HyPAS Enhances specific document imaging needs.

- - Remote control designated KYOCERA printing devices by smartphone or tablet.
- - Print documents, photographs, images, etc. directly from iOS devices/Mac.
- KYOCERA Mobile Print
  - Conveniently print files, web pages and images using smartphone or tablet.
- KYOCERA Cloud Connect (Optional)
  - Print and scan directly to the cloud services easily.
- **KYOCERA Fleet Services (Optional)** 
  - Maintain entire fleet from the cloud.
- **KYOCERA Net Manager (Optional)**
- Control sensitive documents and reduce printing costs.
- **KYOCERA Net Device Manager** 
  - Optimize, track and manage network devices from local and remote locations.
- Support WiFi Direct:
- o Require IB-36 Wireless LAN (Optional)
- o Makes print via AirPrint/Google Cloud Print/Mopria/KYOCERA Mobile Print/KYOCERA MyPanel much easier.















		Main Specifi		
Model		ECOSYS M6630cidn	ECOSYS M6635cidn	
Main Function		Copy, Print, Scan, Fax		
Writing Method		Semiconducto		
CPU		ARM Cortex-A9 Dua		
Print Speed (A4) (Mono/Color)		30/30 ppm	35/35 ppm	
Scanning Speed (A4		60/40 ipm	60/40 ipm	
(Mono/Color)	Duplex	26/17 ipm	62/46 ipm	
Memory Warm Up Time		Standard 1GB (I 26 seconds	Max. 3GB) 25 seconds	
Paper Capacity Standard		25 seconds 25 seconds 25 seconds 25 seconds		
Maximum		1,850 sheets (Main Unit + 500 sheets PF-5100 x3 + MPT)		
Paper Size	Cassette	Min. A6R - Max. A4 (Legal)		
raper size	Option	Min. ASR - Max. A4 (Legal)		
	MPT	Min. AGR - Max. A4 (Legal)  Min. AGR - Max. A4 (Legal)		
Paper Weight	Cassette	60 - 163 g/m <sup>2</sup>		
.,.	Option	60 - 220 g/m <sup>2</sup>		
	MPT	60 - 220 g/m²		
Duplex Printing		Paper size: A5R - A4/Legal; Paper weight: 60 - 163 g/m <sup>2</sup>		
Output Capacity		Max. 25 sheets face-down		
Control Panel		7 inch Color Touch LCD Panel		
Document Processor		Standard (Max. 75 sheets RADF Type) Standard (Max. 100 sheets One-path duplex scanning Type)		
Dimension (W x D x	(H) (Main Unit)	475mm x 558mm x 616mm	480mm x 577mm x 619.5mm	
Weight (Main Unit)		Approx. 35.4 kg	Approx. 36.5 kg	
Power	Copy/Print Mode	521W/496W	547W/532W	
Consumption (Standard	Stand-by Mode	70W	84W	
configuration)	Energy Saver	0.6W		
Noise (ISO7779/	Copy/Print Mode	49.5dB(A)	52dB(A)	
ISO9296)	Stand-by Mode	30dB(A		
		Copy Functions		
Copy Size		Max. A4 (Legal)	- Min. A6R	
Resolution		600 x 600	) dpi	
First Copy Time (Mo		7.5 sec / 9.0 sec	7.5 sec / 8.5 sec	
Zoom Ratio	Manual	25% - 400% (1%		
	Pre-defined	7R5E		
Multiple Copy		1 - 999		
Resolution		600 x 600 dpi; 9600 Equivalent x	600 dpi; 1,200 x 1,200 dpi	
PDL		PRESCRIBE, PCL6 (PCL-XL, PCL 5c), KPDL3 (Postscrip	et 3 compatible), XPS, PDF Direct Print Ver. 1.7	
First Print Out Time		6.5 sec / 7.5 sec	6.0 sec / 7.5 sec	
Supported Protocol		TCP/IP, NetBEUI, FTP, Port 9100, LPR, IPP, IPP		
Operating System Supported		Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2; Windows 7, Windows 10;		
Interface		USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-T	TX/1000BASE-T: USB Host Interface (USB Host)x2	
USB Memory Printing		Standard		
USB Memory Printing Format		TIFF, JPEG, PDF, XPS		
e-mail Printing		Standard		
Mobile Printing		AirPrint, Mopria, KYOCERA Mobile Print, Google Cloud Print		
Color Selection		ACS; Full Color; Graysca	ale; Black & White	
Resolution		600dpi, 400dpi, 300dpi, 200x400dpi, 200x100dpi		
File Format		TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPEG compression/High-compression PDF), Encrypted PDF, PDF/A-1, PDF/A-2, MS Office file (option), Searchable PDF (option)		
Image Type Mode			Text, Photo, Text + Photo, Light Text/Fine Line	
10- 71		Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan, WIA		
Transmission Type		·		
Transmission Type		Scan to SMB; Scan to E-mail ; Scan to FTP or FTP over 200 addresses (Common address list)		
Transmission Type		·	), 50 groups (Group address list)	
Transmission Type Address Storage		200 addresses (Common address list)	), 50 groups (Group address list) tions	
Transmission Type Address Storage Original Size		200 addresses (Common address list) Fax Funct	), 50 groups (Group address list) tions I - Min. A6	
Transmission Type Address Storage Original Size Coding Method Transmission Speed	1	200 addresses (Common address list)  Fax Funct  Max. A4 (Legal)  MMR, MR, M  33.6 kb	), 50 groups (Group address list) tions I - Min. A6 IH, JBIG ps	
Transmission Type Address Storage Original Size Coding Method Transmission Speed Memory	4	200 addresses (Common address list)  Fax Funct  Max. A4 (Legal)  MMR, MR, M  33.6 kb,  6MB	), 50 groups (Group address list) tions I- Min. A6 IH, JBIG ps	
Transmission Type Address Storage Original Size Coding Method Transmission Speed Memory One Touch Dial	1	200 addresses (Common address list) Fax Funct Max. A4 (Legal) MMR, MR, M 33.6 kb 6MB 100 numb	), 50 groups (Group address list) tions I- Min. A6 IH, JBIG ps	
Transmission Type Address Storage Original Size Coding Method Transmission Speed Memory One Touch Dial	i	200 addresses (Common address list)  Fax Funct  Max. A4 (Legal)  MMR, MR, M  33.6 kb  6MB  100 numl  Yes	), 50 groups (Group address list) tions I - Min. A6 IH, JBIG ps	
Transmission Type Address Storage  Original Size Coding Method Transmission Speed Memory One Touch Dial Network FAX	1	200 addresses (Common address list)  Fax Funct  Max. A4 (Legal)  MMR, MR, M  33.6 kb  6 mb  100 num  Yes  Consumables &	), 50 groups (Group address list) tions I - Min. A6 HH, JBIG ps bers	
Transmission Type Address Storage  Original Size Coding Method Transmission Speed Memory One Touch Dial Network FAX  Toner Kit		200 addresses (Common address list)  Fax Funct  Max. A4 (Legal)  MMR, MR, M  33.6 kbj  6MB  100 numl  Yes  Consumables  TK-5275K : Black (8,000 pages)	a), 50 groups (Group address list) tions 1 - Min. A6 11H, JBIG ps beers & Options TK-5285K: Black (13,000 pages)	
Transmission Type Address Storage  Original Size Coding Method Transmission Speed Memory One Touch Dial Network FAX  Toner Kit (Page Yield in accorr		200 addresses (Common address list)  Fax Funct  Max. A4 (Legal)  MMR, MR, M  33.6 kbj  6MB  100 numt  Yes  Consumables &  TK-5275K: Black (8,000 pages)  TK-5275C: Cyan (6,000 pages)	), 50 groups (Group address list) tions 1 - Min. A6 IH, JBIG ps bers  & Options  TK-5285K: Black (13,000 pages) TK-5285C: Cyan (11,000 pages)	
Transmission Type Address Storage  Original Size Coding Method Transmission Speed Memory One Touch Dial Network FAX  Toner Kit (Page Yield in accorr		200 addresses (Common address list)  Fax Funct  Max. A4 (Legal)  MMR, MR, M  33.6 kb  60MB  100 numt  Yes  Consumables &  TK-5275K: Black (8,000 pages)  TK-5275C: Cyan (6,000 pages)  TK-5275K: Magenta (6,000 pages)	a), 50 groups (Group address list) tions 1 - Min. A6 11H, JBIG ps beers & Options TK-5285K: Black (13,000 pages)	
Transmission Type Address Storage  Original Size Coding Method Transmission Speed Memory One Touch Dial Network FAX  Toner Kit (Page Yield in according the storage)	rdance with ISO/	200 addresses (Common address list)  Fax Funct  Max. A4 (Legal)  MMR, MR, M  33.6 kb  60MB  100 numt  Yes  Consumables 6  TK-5275K: Black (8,000 pages)  TK-5275C: Cyan (6,000 pages)  TK-5275Y: Yellow (6,000 pages)  TK-5275Y: Yellow (6,000 pages)	), 50 groups (Group address list)  tions  1 - Min. A6  HH, JBIG  ps  bers  & Options  TK-5285K: Black (13,000 pages) TK-5285C: Cyan (11,000 pages) TK-5285Y: Yellow (11,000 pages)	
Transmission Type Address Storage  Original Size Coding Method Transmission Speed Memory One Touch Dial Network FAX  Toner Kit (Page Yield in according 19798)	rdance with ISO/	200 addresses (Common address list)  Fax Funct  Max. A4 (Legal)  MMR, MR, M  33.6 kb  60MB  100 numt  Yes  Consumables &  TK-5275K: Black (8,000 pages)  TK-5275C: Cyan (6,000 pages)  TK-5275K: Magenta (6,000 pages)	a), 50 groups (Group address list)  tions  1 - Min. A6  HH, JBIG  ps  bers  & Options  TK-5285K: Black (13,000 pages)  TK-5285C: Cyan (11,000 pages)  TK-5285M: Magenta (11,000 pages)	
Transmission Type Address Storage Original Size Coding Method Transmission Speed Memory One Touch Dial Network FAX Toner Kit (Page Yield in according 1978) Capacity of Start up	rdance with ISO/	200 addresses (Common address list)  Fax Funct  Max. A4 (Legal)  MMR, MR, M  33.6 kb  6MB  100 numl  Yes  Consumables 2  TK-5275K : Black (8,000 pages)  TK-5275C : Cyan (6,000 pages)  TK-5275S : Magenta (6,000 pages)  TK-5275Y : Yellow (6,000 pages)  TK-5275Y : Yellow (6,000 pages)  Black 3,500 pages	), 50 groups (Group address list)  tions  1 - Min. A6  1H, JBIG  ps  bers  **TK-5285K: Black (13,000 pages)	
Transmission Type Address Storage  Original Size Coding Method Transmission Speed Memory One Touch Dial Network FAX  Toner Kit (Page Yield in accordict 19798)  Capacity of Start up Maintenance Kit	rdance with ISO/	200 addresses (Common address list)  Fax Funct  Max. A4 (Legal)  MMR, MR, M  33.6 kbj  6MB  100 numt  Yes  Consumables of Cons	), 50 groups (Group address list)  tions  1- Min. A6  1H, JBIG  ps  bers   **Coptions**  TK-5285K: Black (13,000 pages)  TK-5285C: Cyan (11,000 pages)  TK-5285M: Magenta (11,000 pages)  TK-5285M: Wagenta (11,000 pages)  TK-5285Y: Yellow (11,000 pages)  TK-5285Y: Yellow (11,000 pages)  TK-5285Y: Yellow (12,000 pages)  TK-5285Y: Popper (10,000 pages)  Black 6,000 pages  Cyan/Magenta/Yellow 5,000 pages  MK-5159 (200,000 pages); DP:MK-5200	
Transmission Type Address Storage  Original Size Coding Method Transmission Speed Memory One Touch Dial Network FAX  Toner Kit (Page Yield in according 12 (19798)) Capacity of Start up Maintenance Kit Paper Feeder	rdance with ISO/	200 addresses (Common address list)  Fax Funct  Max. A4 (Legal)  MMR, MR, M  33.6 kbj  6MB  100 numt  Yes  Consumables (  TK-5275K: Black (8,000 pages)  TK-5275C: Cyan (6,000 pages)  TK-5275W: Magenta (6,000 pages)  TK-5275Y: Yellow (6,000 pages)  TK-5275Y: Yellow (6,000 pages)  Black 3,500 pages  Cyan/Magenta/Yellow 2,500 pages  MK-5144 (200,000 pages); DP:MK-3140  PF-5100: 500 shee	), 50 groups (Group address list)  tions  1 - Min. A6  1H, JBIG  ps  bers   **COptions**  TK-5285K: Black (13,000 pages) TK-5285M: Magenta (11,000 pages) TK-5285M: Magenta (11,000 pages) TK-5285Y: Yellow (11,000 pages) TK-5285Y: Yellow (11,000 pages)  Black 6,000 pages Cyan/Magenta/Yellow 5,000 pages  MK-5159 (200,000 pages); DP:MK-5200  ets (Max. x3)	
Transmission Type Address Storage  Original Size Coding Method Transmission Speed Memory One Touch Dial Network FAX  Toner Kit (Page Yield in accord IEC 19798)  Capacity of Start up Maintenance Kit Paper Feeder Data Security	rdance with ISO/ o Toner	200 addresses (Common address list)  Fax Funct  Max. A4 (Legal)  MMR, MR, M  3.6 kb;  6MB  100 numt  Yes  Consumables (  TK-5275K: Black (8,000 pages)  TK-5275C: Cyan (6,000 pages)  TK-5275Y: Yellow (6,000 pages)  TK-5275Y: Yellow (6,000 pages)  Black 3,500 pages  Cyan/Magenta/Yellow 2,500 pages  MK-5144 (200,000 pages); DP:MK-3140  PF-5100: 500 shee	A coptions  TK-5285K: Black (13,000 pages) TK-5285C: Cyan (11,000 pages) TK-5285Y: Yellow (11,000 pages) TK-5285Y: Yellow (11,000 pages) TK-5285Y: Yellow (1900 pages)	
Transmission Type Address Storage Original Size Coding Method Transmission Speed Memory One Touch Dial Network FAX  Toner Kit (Page Yield in accord IEC 19798) Capacity of Start up Maintenance Kit Paper Feeder Data Security Card Authentication	o Toner	200 addresses (Common address list)  Fax Funct  Max. A4 (Legal)  MMR, MR, M  33.6 kbj  6MB  100 numt  Yes  Consumables (  TK-5275K: Black (8,000 pages)  TK-5275C: Cyan (6,000 pages)  TK-5275W: Magenta (6,000 pages)  TK-5275Y: Yellow (6,000 pages)  TK-5275Y: Yellow (6,000 pages)  Black 3,500 pages  Cyan/Magenta/Yellow 2,500 pages  MK-5144 (200,000 pages); DP:MK-3140  PF-5100: 500 shee	(a), 50 groups (Group address list)  tions  1 - Min. A6  1H, JBIG  ps  bers  & Options  TK-5285K : Black (13,000 pages)	
Transmission Type Address Storage Original Size Coding Method Transmission Speed Memory One Touch Dial Network FAX  Toner Kit (Page Yield in accordict 19798) Capacity of Start up Maintenance Kit Paper Feeder Data Security Card Authentication	rdance with ISO/ D Toner	200 addresses (Common address list)  Fax Funct  Max. A4 (Legal)  MMR, MR, M  3.6 kb  60MB  100 numl  Yes  Consumables (1,000 pages)  TK-5275K: Black (8,000 pages)  TK-5275C: Cyan (6,000 pages)  TK-5275C: Cyan (6,000 pages)  TK-5275Y: Yellow (6,000 pages)  TK-5275Y: Yellow (6,000 pages)  MK-5144 (200,000 pages); DP:MK-3140  PF-5100: 500 shee  Data Security  Card Authentica	(a), 50 groups (Group address list)  (b), 50 groups (Group address list)  (c), 50 groups (Group address list)  (d), 50 gro	
Transmission Type Address Storage  Original Size Coding Method Transmission Speed Memory One Touch Dial Network FAX  Toner Kit (Page Yield in accordict 19798)  Capacity of Start up Maintenance Kit Paper Feeder Data Security Card Authentication Gigabit Ethernet Bo Wireless LAN Interfa	rdance with ISO/ D Toner	200 addresses (Common address list)  Fax Funct  Max. A4 (Legal)  MMR, MR, M  33.6 kb  6MB  100 numl  Yes  Consumables & Consumables S  TK-5275K: Black (8,000 pages)  TK-5275C: Cyan (6,000 pages)  TK-5275C: Cyan (6,000 pages)  TK-5275Y: Yellow (6,000 pages)  TK-5275Y: Yellow (6,000 pages)  MK-5144 (200,000 pages)  PF-5100: 500 sheet  Data Securitic  Card Authentica	(a), 50 groups (Group address list)  (bions  1 - Min. A6  11H, JBIG  ps  beers  8. Options  TK-5285K: Black (13,000 pages) TK-5285C: Cyan (11,000 pages) TK-5285M: Magenta (11,000 pages) TK-5285W: Magenta (11,000 pages) TK-5285Y: Yellow (11,000 pages) Black 6,000 pages Cyan/Magenta/Yellow 5,000 pages MK-5159 (200,000 pages); DP:MK-5200  ets (Max. x3) y Kit(E) stion Kit(B)	
Transmission Type Address Storage Original Size Coding Method Transmission Speed Memory One Touch Dial Network FAX  Toner Kit (Page Yield in according Method in accor	rdance with ISO/ D Toner	200 addresses (Common address list)  Fax Funct  Max. A4 (Legal)  MMR, MR, M  33.6 kbj  6MB  100 numl  Yes  Consumables  TK-5275K: Black (8,000 pages)  TK-5275C: Cyan (6,000 pages)  TK-5275S: C' Cyan (6,000 pages)  TK-5275Y: Yellow (6,000 pages)  TK-5275Y: Vellow (6,000 pages)  MK-5175Y: Vellow (6,000 pages)  PF-5100: 500 shee  Data Securit  Card Authentica  B-50  IB-36 (802.11 b/g/n/Wirel	), 50 groups (Group address list)  tions  1 - Min. A6  HH, JBIG  ps  bers  8. Options  TK-5285K : Black (13,000 pages) TK-5285C : Cyan (11,000 pages) TK-5285M : Magenta (11,000 pages) TK-5285Y : Yellow (11,000 pages) TK-5285Y : Yellow (11,000 pages) Black 6,000 pages Cyan/Magenta/Yellow 5,000 pages MK-5159 (200,000 pages); DP:MK-5200  ets (Max. x3) y Kit(E) tition Kit(B)  ess LAN/WiFi Direct) -7 : SSD 128GB	
Transmission Type Address Storage Original Size Coding Method Transmission Speed Memory One Touch Dial Network FAX  Toner Kit (Page Yield in accord IEC 19798)  Capacity of Start up Maintenance Kit Paper Feeder Data Security Card Authentication Gigabit Ethernet Bo Wireless LAN Interfa	rdance with ISO/ D Toner In pard Tace	200 addresses (Common address list)  Fax Funct  Max. A4 (Legal)  MMR, MR, M  33.6 kb;  6MB  100 numl  Yes  Consumables (  TK-5275K: Black (8,000 pages)  TK-5275C: Cyan (6,000 pages)  TK-5275Y: Yellow (6,000 pages)  TK-5275Y: Yellow (6,000 pages)  TK-5275Y: Yellow (6,000 pages)  MK-5144 (200,000 pages)  PF-5100: 500 shee  Data Securit  Card Authentica  B-50  IB-36 (802.11 b/g/n/Wirel  HD-6: SSD 32GB; HD	(a), 50 groups (Group address list)  (b), 50 groups (Group address list)  (c), 50 groups (Group address list)  (c), 40 min. A6  (d), 41 min. A6  (e), 50 groups  (e), 50 group	







Document Solutions

บริษัท เคียวเซร่า ด็อคคิวเม้นท์ โซลูชันส์ (ประเทศไทย) จำกัด โทร. 0-2586-0333 โทรสาร 0-2586-0278

www.kyoceradocumentsolutions.co.th

\*KYOCERA Document Solutions does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

KYOCERA Business Partner